

SN 09/609,316  
Page 2 of 13

**IN THE CLAIMS**

Please consider the claims as follows:

1. (canceled)
2. (canceled)
3. (canceled)
4. (canceled)
5. (canceled)
6. (canceled)
7. (canceled)
8. (canceled)
9. (canceled)
10. (canceled)
11. (canceled)
12. (canceled)
13. (canceled)
14. (canceled)
15. (canceled)

SN 09/609,316  
Page 3 of 13

16. (canceled)

17. (canceled)

18. (canceled)

19. (canceled)

20. (canceled)

21. (canceled)

22. (canceled)

23. (canceled)

24. (canceled)

25. (canceled)

26. (canceled)

27. (canceled)

28. (canceled)

29. (canceled)

30. (canceled)

308697-1

SN 09/609,316  
Page 4 of 13

31. (canceled)

32. (canceled)

33. (canceled)

34. (canceled)

35. (canceled)

36. (canceled)

37. (canceled)

38. (canceled)

39. (canceled)

40. (canceled)

41. (canceled)

42. (canceled)

43. (canceled)

44. (canceled)

45. (canceled)

46. (canceled)

308697-1

SN 09/609,316  
Page 5 of 13

47. (canceled)

48. (canceled)

49. (canceled)

50. (canceled)

51. (canceled)

52. (canceled)

53. (canceled)

54. (canceled)

55. (canceled)

56. (canceled)

57. (canceled)

58. (canceled)

59. (canceled)

60. (canceled)

61. (canceled)

308697-1

SN 09/609,316  
Page 6 of 13

62. (canceled)

63. (canceled)

64. (canceled)

65. (canceled)

66. (canceled)

67. (canceled)

68. (canceled)

69. (canceled)

70. (canceled)

71. (canceled)

72. (canceled)

73. (canceled)

74. (canceled)

75. (canceled)

76. (canceled)

77. (canceled)

308697-1

SN 09/609,316  
Page 7 of 13

78. (canceled)

79. (canceled)

80. (canceled)

81. (canceled)

82. (canceled)

83. (canceled)

84. (canceled)

85. (canceled)

86. (canceled)

87. (canceled)

88. (canceled)

89. (canceled)

90. (canceled)

91. (canceled)

92. (canceled)

308697-1

SN 09/609,316  
Page 8 of 13

93. (canceled)

94. (canceled)

95. (canceled)

96. (canceled)

97. (canceled)

98. (canceled)

99. (canceled)

100. (canceled)

101. (canceled)

102. (canceled)

103. (canceled)

104. (canceled)

105. (canceled)

106. (new) Apparatus for upgrading a capability of a set top terminal (STT), said STT adapted to receive a data stream including a plurality of compressed program signals, decompress a compressed program signal and provide a corresponding output signal adapted for use by a display device, said apparatus comprising:

a STT interface, for enabling communication with said STT; and

SN 09/609,316  
Page 9 of 13

an upgrade decryption module, for decrypting an encrypted program signal to provide thereby a compressed program signal.

107. (new) The apparatus of claim 106, wherein:

said STT including a first decryption module, for decrypting a program signal encrypted according to a first encryption format;

said upgrade decryption module decrypting a program signal encrypted according to a second encryption format.

108. (new) The apparatus of claim 107, wherein:

said first encryption format comprises a video encryption format; and  
said second encryption format comprises an audio encryption format.

109. (new) The apparatus of claim 106, further comprising:

an upgrade tuner, for selecting a channel including at least one encrypted audio stream; and

a demultiplexer, for coupling an encrypted audio stream to said upgrade decryption module.

110. (new) The apparatus of claim 109, further comprising:

an audio decompression module, for decompressing said compressed program signal provided by said upgrade decryption module.

111. (new) The apparatus of claim 106, further comprising:

a tuner, for selecting a data stream including a plurality of encrypted data streams;

a demodulator, for demodulating said data stream to produce a demodulated data stream; and

a demultiplexer, for extracting an encrypted data stream from said demodulated data stream, said encrypted data stream being coupled to said upgrade decryption module.



SN 09/609,316  
Page 10 of 13

112. (new) The apparatus of claim 106, wherein said STT includes a first processor for controlling said circuitry, said apparatus further comprising:

an upgrade processor, for communicating with said first processor via said STT interface, said upgrade processor controlling said upgrade decryption module.

113. (new) The apparatus of claim 106, wherein said STT is adapted provide user interface menu imagery via said output signal.

114. (new) The apparatus of claim 106, wherein said apparatus is adapted provide user interface menu imagery via said output signal.

115. A set top terminal (STT) architecture, comprising:

first circuitry adapted to receive a data stream including a plurality of compressed program signals, decompress a compressed program signal and provide a corresponding output signal adapted for use by a display device; and

upgrade circuitry, adapted to increase a capability of said first circuitry by providing at least one of an upgrade tuner, an upgrade decryptor and an upgrade decompressor; and

an interface, for enabling communication between said first circuitry and said upgrade circuitry.

116. (new) The architecture of claim 115, wherein:

said first circuitry including a first decryptor for decrypting a program signal encrypted according to a first encryption format;

said upgrade decryptor for decrypting a program signal encrypted according to a second encryption format.

117. (new) The architecture of claim 116, wherein:

said first encryption format comprises a video encryption format; and

said second encryption format comprises an audio encryption format.

SN 09/609,316

Page 11 of 13

118. (new) The architecture of claim 116, wherein:

said upgrade tuner selecting a channel including at least one encrypted audio stream; and

said upgrade demultiplexer coupling an encrypted audio stream to said upgrade decryption module.